

# CS371N: Natural Language Processing

## Lecture 22: Interpretability

Greg Durrett



TEXAS

The University of Texas at Austin



# Announcements

---

- ▶ A4 back soon
- ▶ Final project check-ins due **November 22**
- ▶ Final projects due **December 13**



# Recap

---

- ▶ Dataset artifacts / spurious correlations
  - ▶ Single-word correlations in NLI: hypothesis contains *not* -> contradiction
  - ▶ Answer type bias in QA: *where* -> return any reasonable location
- ▶ Various debiasing techniques:
  - ▶ Understand what examples are contributing to the bias
  - ▶ Reweighting training data to remove those examples
  - ▶ Data augmentation (not discussed)



# Today

---

- ▶ Why is it so surprising when these model failures happen? Why can't we just look at *why* they make their predictions?
- ▶ Interpreting neural networks: what does this mean and why should we care?
- ▶ Local explanations: erasure techniques
- ▶ Gradient-based methods
- ▶ Evaluating explanations

# Interpreting Neural Networks



# Interpreting Neural Networks

- ▶ This is a BERT-based QA model. How do we figure out why it picked Stewart over Devin Funchess?

**Question:** who caught a 16-yard pass on this drive ?

**Answer:** devin funchess

## Start Distribution

- ▶ *Green: Heatmap of posterior probabilities over the **start** of the answer span*

there would be no more scoring in the third quarter , but early in the fourth , the broncos drove to the panthers 41-yard line . on the next play , ealy knocked the ball out of manning 's hand as he was winding up for a pass , and then recovered it for carolina on the 50-yard line . a 16-yard reception by **devin** funchess and a 12-yard run by **stewart** then set up gano 's 39-yard field goal , cutting the panthers deficit to one score at 16â€"10 . the next three drives of the game would end in punts .



# Interpreting Neural Networks

- ▶ Sentiment:

the movie was not bad -> **negative** (gold: **positive**)

	DAN	Ground Truth
this movie was <b>not</b> <b>good</b>	<b>negative</b>	negative
this movie was <b>good</b>	<b>positive</b>	positive
this movie was <b>bad</b>	<b>negative</b>	negative
the movie was <b>not</b> <b>bad</b>	<b>negative</b>	positive

- ▶ Left side: predictions model makes on individual words
- ▶ Tells us how these words combine
- ▶ **How do we know why a neural network model made the prediction it made?**



# Why explanations?

---

- ▶ **Trust:** if we see that models are behaving in human-like ways and making human-like mistakes, we might be more likely to trust them and deploy them
- ▶ **Causality:** if our classifier predicts class  $y$  because of input feature  $x$ , does that tell us that  $x$  causes  $y$ ? Not necessarily, but it might be helpful to know
- ▶ **Informativeness:** more information may be useful (e.g., predicting a disease diagnosis isn't that useful without knowing more about the patient's situation)
- ▶ **Fairness:** ensure that predictions are non-discriminatory



# Why explanations?

---

- ▶ Some models are naturally **transparent**: we can understand why they do what they do (e.g., a decision tree with  $<10$  nodes)
- ▶ Explanations of more complex models
  - ▶ **Local explanations**: highlight what led to this classification decision. (Counterfactual: if these features were different, the model would've predicted a different class) — focus of this lecture
  - ▶ **Text explanations**: describe the model's behavior in language (we already saw these)
  - ▶ **Model probing**: auxiliary tasks, challenge sets, adversarial examples to understand more about how our model works


# Local Explanations

(which parts of the input were responsible for the model's prediction on this particular data point?)






# Sentiment Analysis with Attention



- ▶ Similar to a DAN model, but (1) extra BiLSTM layer; (2) attention layer instead of just a sum



# Attention Analysis



- ▶ Attention places most mass on *good* — did the model ignore *not*?
- ▶ What if we removed *not* from the input?



# Local Explanations

- ▶ An explanation could help us answer counterfactual questions: if the input were  $x'$  instead of  $x$ , what would the output be?

	Model
<i>that movie was not great , in fact it was terrible !</i>	—
<i>that movie was not _____ , in fact it was terrible !</i>	—
<i>that movie was _____ great , in fact it was _____ !</i>	+

- ▶ Attention can't necessarily help us answer this!



# Erasure Method

---

- ▶ Delete each word one by one and see how prediction prob changes

<i>that movie was not great , in fact it was terrible !</i>	— prob = 0.97
<hr/>	
<i>___ movie was not great , in fact it was terrible !</i>	— prob = 0.97
<i>that ___ was not great , in fact it was terrible !</i>	— prob = 0.98
<i>that movie ___ not great , in fact it was terrible !</i>	— prob = 0.97
<i>that movie was ___ great , in fact it was terrible !</i>	— prob = 0.8
<i>that movie was not ___ , in fact it was terrible !</i>	— prob = 0.99



# Erasure Method

---

- ▶ Output: highlights of the input based on how strongly each word affects the output

*that movie was **not** **great**, in fact it was terrible !*

- ▶ *not* contributed to predicting the negative class (removing it made it less negative), *great* contributed to predicting the positive class (removing it made it more negative)
- ▶ Will this work well?
  - ▶ Inputs are now unnatural, model may behave in “weird” ways
  - ▶ Saturation: if there are two features that each contribute to negative predictions, removing each one individually may not do much



# LIME

---

- ▶ Locally-interpretable, model-agnostic explanations (LIME)
- ▶ Similar to erasure method, but we're going to delete collections of things at once
  - ▶ Can lead to more realistic input (although people often just delete words with it)
  - ▶ More scalable to complex settings



# LIME




Original Image



Interpretable Components

Perturbed Instances	P(tree frog)
	 0.85
	 0.00001
	 0.52




- ▶ Break input into components (for text: could use words, phrases, sentences, ...)

- ▶ Check predictions on subsets of those

- ▶ Now we have model predictions on perturbed examples



# LIME



- ▶ This is what the model is doing on perturbed examples of the input
- ▶ Now we train a classifier to predict **the model's behavior** based on **what subset of the input it sees**
- ▶ The weights of that classifier tell us which parts of the input are important



# LIME

- ▶ This secondary classifier's **weights** now give us **highlights** on the input

The movie is mediocre, maybe even bad.

**Negative** 99.8%

The movie is mediocre, maybe even ~~bad~~.

**Negative** 98.0%

The movie is ~~mediocre~~, maybe even bad.

**Negative** 98.7%

The movie is ~~mediocre~~, maybe even ~~bad~~.

**Positive** 63.4%

The movie is ~~mediocre~~, ~~maybe~~ even ~~bad~~.

**Positive** 74.5%

The ~~movie~~ is mediocre, maybe even ~~bad~~.

**Negative** 97.9%

The movie is **mediocre**, maybe even **bad**.



# Problems with LIME

---


- ▶ Lots of moving parts here: what perturbations to use? what model to train? etc.
- ▶ Expensive to call the model all these times
- ▶ Linear assumption about interactions may not be reliable

# Gradient-based Methods



# Problems with LIME

- ▶ Problem: fully removing pieces of the input may cause it to be very unnatural



- ▶ Alternative approach: look at what this perturbation does locally right around the data point using **gradients**



# Gradient-based Methods

---

score = weights \* features  
(or an NN, or whatever)

## Learning a model

Compute derivative of score  
with respect to weights: how  
can changing weights  
improve score of correct  
class?

## Gradient-based Explanations

Compute derivative of score  
with respect to ***features***:  
how can changing ***features***  
improve score of correct  
class?



# Gradient-based Methods


- ▶ Originally used for images

$S_c$  = score of class  $c$

$I_0$  = current image






$$w = \left. \frac{\partial S_c}{\partial I} \right|_{I_0}$$

- ▶ Higher gradient magnitude = small change in pixels leads to large change in prediction





# Gradient-based Methods




Simonyan et al. (2013)



# Integrated Gradients

- ▶ Suppose you have prediction = A OR B for features A and B. Changing either feature doesn't change the prediction, but changing both would. Gradient-based method says neither is important
- ▶ Integrated gradients: compute gradients along a path from the origin to the current data point, aggregate these to learn feature importance
- ▶ Intermediate points can reveal new info about features



# Evaluating Explanations



# Faithfulness vs. Plausibility

- ▶ Suppose our model is a bag-of-words model with the following:

the = -1, movie = -1, good = +3, bad = 0

the movie was good      prediction score=+1

the movie was bad      prediction score=-2

- ▶ Suppose explanation returned by LIME is:

the movie was **good**

the movie was **bad**

- ▶ Is this a "correct" explanation?



# Faithfulness vs. Plausibility

- ▶ *Plausible* explanation: matches what a human would do
  - the movie was **good**      the movie was **bad**
  - ▶ Maybe useful to explain a task to a human, but it's not what the model is really doing!
- ▶ *Faithful* explanation: actually reflects the behavior of the model
  - the movie was **good**      **the movie** was bad
  - ▶ We usually prefer faithful explanations; non-faithful explanations are actually deceiving us about what our models are doing!
  - ▶ Rudin: *Stop Explaining Black Box Models for High-Stakes Decisions and Use Interpretable Models Instead*



# Evaluating Explanations

---

- ▶ Nguyen (2018): delete words from the input and see how quickly the model flips its prediction?
  - ▶ Downside: not a “real” use case
- ▶ Hase and Bansal (2020): counterfactual simulatability: user should be able to predict what the model would do in another situation
  - ▶ Hard to evaluate



# Evaluating Explanations

**c** I, like others **was very excited to read this book.** I thought it would show another side to how the Tate family dealt with the murder of their daughter Sharon. I didn't have to read much to realize however that the book is was not going to be what I expected. It is full of added dialog and assumptions. It makes it hard to tell where the truth ends and the embellishments begin. It reads more like fan fiction than a true account of this family's tragedy. I did enjoy looking at the early pictures of Sharon that I had never seen before but they were **hardly worth the price of the book.** **d**

**a** Round: 1/50 #Correct Labels: 0

Is the sentiment of the review positive or negative?

**b**  **Mostly Positive** **Mostly Negative**

**i** Marvin is 62.7% confident about its suggestion.



- ▶ Human is trying to label the sentiment. The AI provides its prediction to try to help. Does the human-AI team beat human/AI on their own?
- ▶ AI provides both an explanation for its prediction (blue) and also a possible counterargument (red)
- ▶ Do these explanations help the human? Slightly, but **AI is still better**
- ▶ Few positive results on “human-AI teaming” with explanations Bansal et al. (2020)



# What to Expect from Explanations?

Ye et al. (2021)

- ▶ What do we really want from explanations?
- ▶ Explanations should describe model behavior with respect to counterfactuals (Miller, 2019; Jacovi and Goldberg, 2021)

The movie is not that bad.

The movie is not \_\_\_\_ \_\_\_\_.



- ▶ What about **realistic counterfactuals**? Since dropping tokens isn't always meaningful

The movie is not actually bad.

- ▶ We are going to evaluate explanations based on whether they can tell us useful things about model behavior



# A Multi-hop QA Example

Ye et al. (2021)

- ▶ We formulate a hypothesis about the model's behavior, and test it using counterfactuals

## Base Example

Are Super High Me and All in This Tea both documentaries?

Super High Me is a 2008 **documentary** film about smoking.  
All in This Tea is a 2007 **documentary** film.

YES

## Token-Level Explanation

<s> Are Super High Me and All in This Tea both **documentaries** ?  
</s> Super High Me is a 2008 **documentary** film about  
smoking . All in This Tea is a 2007 **documentary** film . </s>

## Expected Behavior

The hypothesis is true.

## Hypothesis



The QA model is looking at  
the two **documentary** tokens

## Realistic Counterfactuals

Super High Me is a 2008 **romance** film about smoking.  
All in This Tea is a 2007 **documentary** film.

YES

Super High Me is a 2008 **documentary** film about smoking.  
All in This Tea is a 2007 **romance** film.

YES

Super High Me is a 2008 **romance** film about smoking.  
All in This Tea is a 2007 **romance** film.

YES

## Actual Behavior

The hypothesis is not true.  
Model always predict YES.


**Mismatch**





# Human Interpretation

- ▶ Other work has done similar studies with humans interpreting model explanations to make predictions:



- ▶ People misinterpret these maps and conflate them with other factors. We actually need to *modify* what is shown to users to get them to have the right interpretation

Schuff et al. (2022)

Human Interpretation of Saliency-based Explanation Over Text



# Ongoing Conversation

---

- ▶ Lots of ongoing research:
  - ▶ How do we interpret explanations?
  - ▶ How do *users* interpret our explanations?
  - ▶ How should *automated systems* make use of explanations?
- ▶ Still a growing area



# Packages

---

- ▶ **AllenNLP Interpret:** <https://allennlp.org/interpret>
- ▶ **Captum (Facebook):** <https://captum.ai/>
- ▶ **LIT (Google):** <https://ai.googleblog.com/2020/11/the-language-interpretability-tool-lit.html>
- ▶ Various pros and cons to the different frameworks
- ▶ **You can use these in your final project to analyze your model's behavior**



# Takeaways

---

- ▶ Many other ways to do explanation:
  - ▶ Probing tasks: do vectors capture information about part-of-speech tags?
  - ▶ Diagnostic test sets (“unit tests” for models). E.g., do LMs have “theory-of-mind”? Are LMs biased? (Sometimes hard to generalize these results)
  - ▶ Building models that are explicitly interpretable (decision trees)
- ▶ Lots of uncertainty about which of these approaches is best