

CS371N: Natural Language Processing

Lecture 6: NN Implementation

Greg Durrett





Announcements

- ▶ Assignment 1 due today
- ▶ Assignment 2 out today, due in two weeks
- ▶ Fairness response due Tuesday (submit on Canvas)
- ▶ Slip days: do not need to notify me



Recap




Neural Networks

$$\mathbf{z} = g(Vf(\mathbf{x}) + \mathbf{b})$$

Nonlinear transformation Warp space Shift

$$y_{\text{pred}} = \operatorname{argmax}_y \mathbf{w}_y^\top \mathbf{z}$$

- Ignore shift / $+\mathbf{b}$ term for the rest of the course






Deep Neural Networks


$$\mathbf{z}_1 = g(V_1 f(\mathbf{x}))$$

$$\mathbf{z}_2 = g(V_2 \mathbf{z}_1)$$

...

$$y_{\text{pred}} = \operatorname{argmax}_y \mathbf{w}_y^\top \mathbf{z}_n$$





Classification Review

- ▶ See Instapoll

Feedforward Networks



Vectorization and Softmax

$$P(y|\mathbf{x}) = \frac{\exp(\mathbf{w}_y^\top f(\mathbf{x}))}{\sum_{y' \in \mathcal{Y}} \exp(\mathbf{w}_{y'}^\top f(\mathbf{x}))}$$

- ▶ Single scalar probability

▶ Three classes, “different weights”	$\mathbf{w}_1^\top f(\mathbf{x})$	-1.1	softmax →	0.036	class probs
	$\mathbf{w}_2^\top f(\mathbf{x}) =$	2.1		0.89	
	$\mathbf{w}_3^\top f(\mathbf{x})$	-0.4		0.07	

- ▶ Softmax operation = “exponentiate and normalize”
- ▶ We write this as: $\text{softmax}(W f(\mathbf{x}))$



Logistic Regression as a Neural Net

$$P(y|\mathbf{x}) = \frac{\exp(\mathbf{w}_y^\top f(\mathbf{x}))}{\sum_{y' \in \mathcal{Y}} \exp(\mathbf{w}_{y'}^\top f(\mathbf{x}))}$$


- ▶ Single scalar probability

$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(W f(\mathbf{x}))$$

- ▶ Weight vector per class;
 W is [num classes x num feats]


$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(W g(V f(\mathbf{x})))$$

- ▶ Now one hidden layer



Neural Networks for Classification

$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(Wg(Vf(\mathbf{x})))$$



Backpropagation (with pictures)



Training Objective

$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(Wg(Vf(\mathbf{x})))$$

- ▶ Consider the log likelihood of a single training example:

$$\mathcal{L}(\mathbf{x}, i^*) = \log P(y = i^* | \mathbf{x})$$


where i^* is the index of the gold label for an example

- ▶ Backpropagation is an algorithm for computing gradients of W and V (and in general any network parameters)




Backpropagation: Picture

$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(Wg(Vf(\mathbf{x})))$$




- Gradient w.r.t. W : looks like logistic regression, can be computed treating \mathbf{z} as the features




Backpropagation: Picture

$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(Wg(Vf(\mathbf{x})))$$




- Can forget everything after \mathbf{z} , treat it as the output and keep backpropping



Backpropagation: Picture

$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(Wg(Vf(\mathbf{x})))$$



- Combine backward gradients with forward-pass products

Pytorch Basics

(code examples are on the course website: `ffnn_example.py`)



PyTorch

- ▶ Framework for defining computations that provides easy access to derivatives
- ▶ Module: defines a neural network (can use wrap other modules which implement predefined layers)
- ▶ If `forward()` uses crazy stuff, you have to write `backward` yourself

```
torch.nn.Module
```

```
# Takes an example x and computes result  
forward(x):
```

```
...
```

```
# Computes gradient after forward() is called  
backward(): # produced automatically
```

```
...
```



Computation Graphs in Pytorch

- Define forward pass for $P(\mathbf{y}|\mathbf{x}) = \text{softmax}(Wg(Vf(\mathbf{x})))$

```
class FFNN(nn.Module):  
    def __init__(self, input_size, hidden_size, out_size):  
        super(FFNN, self).__init__()  
        self.V = nn.Linear(input_size, hidden_size)  
        self.g = nn.Tanh() # or nn.ReLU(), sigmoid()...  
        self.W = nn.Linear(hidden_size, out_size)  
        self.softmax = nn.Softmax(dim=0)  
  
    def forward(self, x):  
        return self.softmax(self.W(self.g(self.V(x))))  
        (syntactic sugar for forward)
```



Input to Network

- ▶ Whatever you define with `torch.nn` needs its input as some sort of tensor, whether it's integer word indices or real-valued vectors

```
def form_input(x) -> torch.Tensor:  
    # Index words/embed words/etc.  
    return torch.from_numpy(x).float()
```

- ▶ `torch.Tensor` is a different datastructure from a numpy array, but you can translate back and forth fairly easily
- ▶ Note that **translating out of PyTorch will break backpropagation**; don't do this inside your Module



Training and Optimization

$$P(\mathbf{y}|\mathbf{x}) = \text{softmax}(Wg(Vf(\mathbf{x})))$$

one-hot vector
of the label
(e.g., [0, 1, 0])

```
ffnn = FFNN(inp, hid, out)
```

```
optimizer = optim.Adam(ffnn.parameters(), lr=lr)
```

```
for epoch in range(0, num_epochs):
```

```
    for (input, gold_label) in training_data:
```

```
        ffnn.zero_grad() # clear gradient variables
```

```
        probs = ffnn.forward(input)
```

```
        loss = torch.neg(torch.log(probs)).dot(gold_label)
```

```
        loss.backward()
```

```
        optimizer.step()
```

negative log-likelihood of correct answer
(can also use NLLLoss)



Initialization in Pytorch

```
class FFNN(nn.Module):  
    def __init__(self, inp, hid, out):  
        super(FFNN, self).__init__()  
        self.V = nn.Linear(inp, hid)  
        self.g = nn.Tanh()  
        self.W = nn.Linear(hid, out)  
        self.softmax = nn.Softmax(dim=0)  
        nn.init.uniform(self.V.weight)
```

- Initializing to a nonzero value is critical. See optimization video on course website. **(Pytorch does this by default so you don't actually have to include it.)**



Training a Model

Define modules, etc.

Initialize weights and optimizer

For each epoch:

 For each batch of data:

 Zero out gradient

 Compute loss on batch

 Autograd to compute gradients and take step on optimizer

 [Optional: check performance on dev set to identify overfitting]

Run on dev/test set

Pytorch example

Batching



Batching

- ▶ Modify the training loop to run over multiple examples at once

```
# input is [batch_size, num_feats]
# gold_label is [batch_size, num_classes]
def make_update(input, gold_label)
    ...
    probs = ffnn.forward(input) # [batch_size, num_classes]
    loss = torch.sum(torch.neg(torch.log(probs)).dot(gold_label))
    ...
```

- ▶ Batch sizes from 1-100 often work well
- ▶ Can use the same network as before **without modification**

DANs



Credit: Stephen Roller



Word Embeddings

- ▶ Currently we think of words as “one-hot” vectors

the = [1, 0, 0, 0, 0, 0, ...]

good = [0, 0, 0, 1, 0, 0, ...]

great = [0, 0, 0, 0, 0, 1, ...]

- ▶ *good* and *great* seem as dissimilar as *good* and *the*
- ▶ Neural networks are built to learn sophisticated nonlinear functions of continuous inputs; our inputs are weird and discrete




Word Embeddings

- ▶ Want a vector space where similar words have similar embeddings

great \approx *good*


- ▶ Next lecture: come up with a way to produce these embeddings
- ▶ For each word, want “medium” dimensional vector (50-300 dims) representing it





Deep Averaging Networks


- Deep Averaging Networks: feedforward neural network on average of word embeddings from input





Deep Averaging Networks

- ▶ Widely-held view: need to model syntactic structure to represent language
- ▶ Surprising that averaging can work as well as this sort of composition





Sentiment Analysis

No pretrained embeddings

Model	RT	SST fine	SST bin	IMDB	Time (s)
DAN-ROOT	—	46.9	85.7	—	31
DAN-RAND	77.3	45.4	83.2	88.8	136
DAN	80.3	47.7	86.3	89.4	136

Iyyer et al. (2015)

Bag-of-words

NBOW-RAND	76.2	42.3	81.4	88.9	91
NBOW	79.0	43.6	83.6	89.0	91
BiNB	—	41.9	83.1	—	—
NBSVM-bi	79.4	—	—	91.2	—

Wang and Manning (2012)

Tree-structured neural networks

RecNN*	77.7	43.2	82.4	—	—
RecNTN*	—	45.7	85.4	—	—
DRecNN	—	49.8	86.6	—	431
TreeLSTM	—	50.6	86.9	—	—
DCNN*	—	48.5	86.9	89.4	—
PVEC*	—	48.7	87.8	92.6	—
CNN-MC	81.1	47.4	88.1	—	2,452
WRRBM*	—	—	—	89.2	—

Kim (2014)



Deep Averaging Networks

Sentence	DAN	DRecNN	Ground Truth
who knows what exactly godard is on about in this film, but his words and images do n't have to add up to mesmerize you.	positive	positive	positive
it's so good that its relentless, polished wit can withstand not only inept school productions, but even oliver parker's movie adaptation	negative	positive	positive
too bad, but thanks to some lovely comedic moments and several fine performances, it's not a total loss	negative	negative	positive
this movie was not good	negative	negative	negative
this movie was good	positive	positive	positive
this movie was bad	negative	negative	negative
the movie was not bad	negative	negative	positive


- Will return to compositionality with syntax and LSTMs

Iyyer et al. (2015)



Word Embeddings in PyTorch

- ▶ `torch.nn.Embedding`: maps vector of indices to matrix of word vectors



- ▶ n indices $\Rightarrow n \times d$ matrix of d -dimensional word embeddings
- ▶ $b \times n$ indices $\Rightarrow b \times n \times d$ tensor of d -dimensional word embeddings



Word Embeddings



Word Embeddings
